




## BEARING DRIVESHAFT, INC.



sf06a24 Bearing 2D drawings and 3D CAD models

28 mm x 72 mm x 18 mm ntn sf06a24 bearing

Bearing No. sf06a24

Size	28x72x18 mm
Bore Diameter	28 mm
Outer Diameter	72 mm
Width	18 mm
d	28 mm
D	72 mm
B	18 mm
C	18 mm
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.348
EAN	4547359183757
Product Group	B00308
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C0-Medium



## BEARING DRIVESHAFT, INC.

Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	65.6MM Bore; 72MM Outside Diameter; 18MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 30 Degree; 1 (Single)
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Weight / LBS	0.767
Bore	2.583 Inch   65.6 Millimeter
Outside Diameter	2.835 Inch   72 Millimeter
Width	0.709 Inch   18 Millimeter
bore diameter:	28 mm
radial dynamic load capacity:	20700 N
outside diameter:	72 mm
radial static load capacity:	20700 N
overall width:	18 mm
operating temperature range:	-40 to 120 ° C
contact angle:	30 °
cage material:	Steel
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C0
precision rating:	Standard



## BEARING DRIVESHAFT, INC.

bore type:	Round
series:	SF0
closure type:	Open
weight:	0.348 kg
snap ring included:	Without Snap Ring
manufacturer product page:	<a href="#">Click here</a>
bearing material:	High Carbon Chrome Steel